

### **Public Notice**

#### Notice of Passing of Zoning By-law 103-2024

#### **0 Clarkway Drive**

Date of Decision: June 26, 2024 Date of Notice: July 5, 2024 Last Date of Appeal: July 25, 2024

On the date noted above, the Council of the Corporation of the City of Brampton passed By-law 103-2024, to amend Zoning By-law 270-2004, as amended, under Section 34 of the *Planning Act*, R.S.O., c.P.13, pursuant to an application by Candevcon Limited, on behalf of Castleclark Developments Inc., Ward 10 (File: OZS-2022-0025).

The Purpose and Effect of the Zoning By-law: to permit fifty-six (56) single detached dwellings, ten (10) single detached reserve blocks, thirty-four (34) townhouse units from one (1) medium density residential blocks and two (2) medium density reserve blocks, a partial school block, walkway blocks, an industrial block, a natural heritage system block and two natural heritage system buffer blocks, and roads and road widening blocks to adjacent subdivisions.

**Location of Lands Affected:** east side of Clarkway Drive, north of Castlemore Road, legally described as Toronto Gore Con 11 ND Part Lot 12 RP 43R1070, and municipally known as 0 Clarkway Drive.

NOTE: Staff note that the address was incorrectly cited on previous reports on this application. The subject lands are municipally known as 0 Clarkway Drive.

**Obtaining Additional Information:** A copy of the by-law is provided. The complete background information is available at the City Clerk's Office during regular office hours, or online at <a href="www.brampton.ca">www.brampton.ca</a>. Further enquiries should be directed to Arjun Singh, Planner, Planning, Building and Growth Management Services Department at 905-874-2254 or <a href="mailto:arjun.singh@brampton.ca">arjun.singh@brampton.ca</a>.

Any and all written submissions relating to this amendment that were made to Council, and the Planning and Development Committee, before its decision and any and all oral submissions related to these applications that were made at a public meeting, held under the *Planning Act*, have been, on balance, taken into consideration by Council as part of its deliberations and final decision on these matters.

There are no other applications under the *Planning Act*, pertaining to the subject lands.

When and How to File an Appeal: An appeal of the by-law amendment to the Ontario Land Tribunal (OLT) must be filed with the Clerk of the City of Brampton no later than July 25, 2024 at 4:30 p.m. An appeal form is available from the OLT website at <a href="https://olt.gov.on.ca/appeals-process/forms/">https://olt.gov.on.ca/appeals-process/forms/</a>



## **Public Notice**

#### The Notice of Appeal must:

- (1) set out the reasons for appeal; and,
- (2) be accompanied by the fee required by the Ontario Land Tribunal in the amount of \$1,100.00 payable by certified cheque or money order to the Minister of Finance, Province of Ontario. A copy of the Ontario Land Tribunal Fee Schedule may be found at https://olt.gov.on.ca/appeals-process/fee-chart/

Only individuals, corporations and public bodies may appeal a by-law to the Ontario Land Tribunal (OLT). A notice of appeal may not be filed by an unincorporated association or group. However, a notice of appeal may be filed in the name of an individual who is a member of the association or the group on its behalf.

No person or public body shall be added as a party to the hearing of the appeal unless, before the by-law was passed, the person or public body made oral submissions at a public meeting or written submissions to the Council or, in the opinion of the Ontario Land Tribunal, there are reasonable grounds to add the person or public body as a party.

#### Notice of Appeal may be hand delivered to:

City of Brampton
Office of the City Clerk
2 Wellington Street West
Brampton, ON L6Y 4R2
Contact: (905) 874-2116



#### THE CORPORATION OF THE CITY OF BRAMPTON

# BY-LAW

*Number* <u>103</u> - 2024

To amend Comprehensive Zoning By-law 270-2004 as amended

The Council of the Corporation of the City of Brampton, in accordance with the provisions of the *Planning Act, R.S.O. 1990, c. P. 13,* hereby ENACTS as follows:

- 1. By-law 270-2004, as amended, is hereby further amended:
  - (1) By changing Schedule A thereto, the zoning designation of the lands as shown outlined on Schedule A to this by-law:

From:	То:
"AGRICULTURAL – 1520 (A-1520)"	RESIDENTIAL SINGLE DETACHED F – 11.0 – SECTION 3790 (R1F – 11.0 – 3790)
	RESIDENTIAL SINGLE DETACHED F – 11.0 – SECTION 3789 (R1F – 11.0 – 3789)
	RESIDENTIAL SINGLE DETACHED F - 10.0 - SECTION 3788 (R1F - 10.0 - 3788)
	RESIDENTIAL TOWNHOUSE C – SECTION 3792 (R3C – 3792)
	INSTUTIONAL ONE – SECTION 3791 (I1-3791)
	FLOODPLAIN (F)
	OPEN SPACE (OS)
	INDUSTRIAL TWO (M2)

(2) By adding the following Sections:

"3790 The lands designated R1F – 11.0 – 3790 on Schedule A to this bylaw:

3790.1 Shall only be used for the purposes permitted in an R1F – 11.0 zone. 3790.2 Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Area	a) Interior Lot – 275.0 square metres; b) Corner Lot – 325.0 square metres;		
(2) Minimum Lot Width	a) Interior Lot – 11.0 metres; b) Corner Lot – 13.0 metres;		
(2) Minimum Front Vord Donth	a) 3.0 metres;		
(3) Minimum Front Yard Depth	b) 6.0 metres to a garage door;		
	c) the main wall of a dwelling may encroach into the front yard to within 1.0 metres of a daylight rounding or triangle;		
	d) a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard with an additional 0.25 metre encroachment for steps;		
	e) a porch and/or balcony with or without foundation or cold cellar including steps, eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding or triangle;		
	f) a bay window, bow window, box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum front yard; and		
	g) a bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach into the front yard to within 0.5 metres of a daylight rounding or triangle;		
(4) Minimum Exterior Side Yard	a) 3.0 metres;		
Width	b) 6.0 metres to a garage door facing the exterior side yard for corner lots;		
	c) the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding or triangle;		
	d) a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard with an additional 0.25 metre encroachment for steps		
	e) a porch and/or balcony with or without foundation or cold cellar including steps, eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding or triangle;		
	f) a bay window, bow window or box window with or without foundation		

	may encroach 1.0 metre into the minimum exterior side yard and within 0.0 metres of a daylight rounding or triangle
(5) Minimum Rear Yard Depth	a) 7.0 metres;
	b) 6.0 metres when a rear lot line coincides with an interior side lot line of an adjacent lot, an Institutional, Open Space or Floodplan zone, including a Floodplain, Stormwater Pond and/or Park;
	c) 3.0 metres for a corner lot provided that not less than 50% of the unit width is setback 6.0 metres from the rear lot line;
	d) 0.6 metres to the side wall of a garage, where access to the garage is accessed from the exterior side yard for lots equal to or greater than 13.4 metres;
	e) A deck may encroach into the rear yard to within 3.0 metres of the rear lot line;
	f) Open roofed porches and or uncovered terraces may encroach in to the rear yard to within 3.0 metres of the rear lot line;
	<li>g) a bay window, bow window or box window with or without foundation may encroach 1.0 metres into the minimum rear yard;</li>
(6) Minimum Interior Side Yard Width	<ul> <li>a) 1.2 metres on one side and 0.6 metres on the other side provided that the combined total for each interior lot is 1.8 metres;</li> </ul>
	b) Interior side yards between two lots can be paired at 0.6 metres per paired lots, and or 1.2 metres and 0.6 metres per paired lots and or at 1.2 metres and 1.2 metres per paired lots;
	<ul> <li>c) 1.2 metres where the side yard abuts a public walkway or a non- residential zone; and</li> </ul>
	<ul> <li>d) 0.6 metres for a corner lot abutting another interior lot with a side yard of 0.6 metres or 1.2 metres, for a minimum total of 1.2 metres between buildings;</li> </ul>
	or side yard or interior side yard shall regardless of permitted encroachments.
(8) Maximum Building Height	13.5 metres;
(9) The following provisions shall apply to garages:	a) No garage may project more than     1.5 metres beyond the porch or     front wall of a dwelling;

	b)	the maximum cumulative garage door width for lots, with a lot width equal to or greater than 11.6 metres but less than 12.5 metres shall be 5.0 metres;
	c)	the maximum cumulative garage door width for lots, with a lot width equal to or greater than 12.5 metres but less than 15.0 metres shall be 5.5 metres;
	d)	the garage door width restriction does not apply to a garage door facing the exterior lot line;
	e)	minimum interior garage dimension of single vehicle garage shall measure 6.0 metre interior length by 3.1 metre minimum interior width.
	f)	No encroachment shall be permitted into a required parking space within a garage, except for one step (2 risers) into the minimum garage length;
(10) The following shall apply to a bay, bow or box window:	a)	notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;
	b)	notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres;
	c)	a bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and
	d)	a bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows.

"3789 The lands designated R1F - 11.0 - 3789 on Schedule A to this bylaw:

3789.1 Shall only be used for the purposes permitted in an R1F - 11.0 zone. 3789.2 Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Area	a) Interior Lot – 275.0 square metres; b) Corner Lot – 325.0 square metres;
(2) Minimum Lot Width	a) Interior Lot – 11.0 metres; b) Corner Lot – 13.0 metres;
(3) Minimum Front Yard Depth	a) 3.0 metres;
	<ul><li>b) 6.0 metres to a garage door;</li><li>c) the main wall of a dwelling may encroach into the front yard to</li></ul>

		within 1.0 metres of a daylight rounding or triangle;
	d)	a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard with an additional 0.25 metre encroachment for steps;
	e)	a porch and/or balcony with or without foundation or cold cellar including steps, eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding or triangle;
	f)	a bay window, bow window, box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum front yard; and
	g)	a bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach into the front yard to within 0.5 metres of a daylight rounding or triangle;
(4) Minimum Exterior Side Yard	a)	3.0 metres;
Width	b)	6.0 metres to a garage door facing the exterior side yard for corner lots;
	c)	the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding or triangle;
	d)	a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard with an additional 0.25 metre encroachment for steps
	e)	a porch and/or balcony with or without foundation or cold cellar including steps, eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding or triangle;
	f)	a bay window, bow window or box window with or without foundation may encroach 1.0 metre into the minimum exterior side yard and within 0.0 metres of a daylight rounding or triangle
(5) Minimum Rear Yard Depth	a)	6.5 metres;
	b)	6.0 metres when a rear lot line coincides with an interior side lot line of an adjacent lot, an Institutional, Open Space or Floodplain zone, including a

Production of the Control of the Con		
		oodplain, a Stormwater Pond d/or a, Parks ;
	tha wid	metres for a corner lot provided at not less than 50% of the unit dth is setback 6.0 metres from e rear lot line;
	ga ga ya	s metres to the side wall of a rage, where access to the rage is from the exterior side rd for lots equal to or greater than .4 metres;
	yaı	deck may encroach into the rear rd to within 3.0 metres of the rear line;
	un in i	en roofed porches and or covered terraces may encroach to the rear yard to within 3.0 etres of the rear lot line
	wir ma	pay window, bow window or box andow with or without foundation ay encroach 1.0 metres into the nimum rear yard;
(6) Minimum Interior Side Yard Width	me tha	2 metres on one side and 0.6 etres on the other side provided at the combined total for each erior lot is 1.8 metres;
	ca pa 0.6 1.2	terior side yards between two lots in be paired at 0.6 metres per lired lots, and or 1.2 metres and 6 metres per paired lots and or at 2 metres and 1.2 metres per lired lots;
	ab	2 metres where the side yard outs a public walkway or a non- sidential zone; and
	an of mi	6 metres for a corner lot abutting nother interior lot with a side yard 0.6 metres or 1.2 metres, for a inimum total of 1.2 metres etween buildings;
(7) For corner lots, either the exterior side yard or interior side yard shall maintain a minimum 1.2 metres regardless of permitted encroachments.		
(8) Maximum Building Height	13.5 r	metres;
(9) The following provisions shall apply to garages:	1.	o garage may project more than 5 metres beyond the porch or ont wall of a dwelling;
	do ec m	e maximum cumulative garage for width for lots, with a lot width qual to or greater than 11.6 etres but less than 12.5 metres hall be 5.0 metres;
	do	e maximum cumulative garage foor width for lots, with a lot width qual to or greater than 12.5

	metres but less than 15.0 metres shall be 5.5 metres;
d)	the garage door width restriction does not apply to a garage door facing the exterior lot line;
e)	minimum interior garage dimension of single vehicle garage shall measure 6.0 metre interior length by 3.1 metre minimum interior width.
f)	No encroachment shall be permitted into a required parking space within a garage, except for one step (2 risers) into the minimum garage length;
a)	notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;
b)	notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres;
c)	a bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and
d)	a bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows;
	e) f) b)

"3788 The lands designated R1F - 10.0 - 3788 on Schedule A to this bylaw:

3788.1 Shall only be used for the purposes permitted in an R1F - 10.0 zone. 3788.2 Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Area	a) Interior Lot – 250.0 square metres; b) Corner Lot – 325.0 square metres;
(2) Minimum Lot Width	a) Interior Lot – 10.0 metres; b) Corner Lot – 13.0 metres;
(3) Minimum Front Yard Depth	<ul> <li>a) 3.0 metres;</li> <li>b) 6.0 metres to a garage door;</li> <li>c) the main wall of a dwelling may encroach into the front yard to within 1.0 metres of a daylight rounding or triangle;</li> </ul>
	d) a porch and/or balcony with or without foundation or cold cellar may encroach 2.0 metres into the minimum front yard with an

		additional 0.25 metre encroachment for steps;
	e)	a porch and/or balcony with or without foundation or cold cellar including steps, eaves and cornices may encroach into the front yard to within 0.0 metres of a daylight rounding or triangle;
	f)	a bay window, bow window, box window with or without foundation or cold cellar may encroach 1.0 metres into the minimum front yard; and
	g)	a bay window, bow window or box window with or without foundation or cold cellar including eaves and cornices may encroach into the front yard to within 0.5 metres of a daylight rounding or triangle;
(4) Minimum Exterior Side Yard	a)	3.0 metres;
Width	b)	6.0 metres to a garage door facing the exterior side yard for corner lots;
	c)	the main wall of a dwelling may encroach into the exterior side yard to within 1.0 metres of a daylight rounding or triangle;
	d)	a porch and/or balcony with or without foundation or cold cellar and chimney may encroach 2.0 metres into the minimum exterior side yard with an additional 0.25 metre encroachment for steps
	e)	a porch and/or balcony with or without foundation or cold cellar including steps, eaves and cornices may encroach into the exterior side yard to within 0.0 metres of a daylight rounding or triangle;
	f)	a bay window, bow window or box window with or without foundation may encroach 1.0 metre into the minimum exterior side yard and within 0.0 metres of a daylight rounding or triangle
(5) Minimum Rear Yard Depth	a)	7.0 metres;
	b)	6.0 metres when a rear lot line coincides with an interior side lot line of an adjacent lot, an Institutional, Open Space or Floodplain zone, including a Floodplain, a Stormwater Pond, and/or a Park;
	(c)	3.0 metres for a corner lot provided that not less than 50% of the unit width is setback 6.0 metres from the rear lot line;

	d) 0.6 metres to the side wall of a garage, where access to the garage is from the exterior side yard for lots equal to or greater than 13.4 metres;
	e) A deck may encroach into the rear yard to within 3.0 metres of the rear lot line;
	f) Open roofed porches and or uncovered terraces may encroach in to the rear yard to within 3.0 metres of the rear lot line
	g) a bay window, bow window or box window with or without foundation may encroach 1.0 metres into the minimum rear yard;
(6) Minimum Interior Side Yard Width	a) 1.2 metres on one side and 0.6 metres on the other side provided that the combined total for each interior lot is 1.8 metres;
	b) Interior side yards between two lots can be paired at 0.6 metres per paired lots, and or 1.2 metres and 0.6 metres per paired lots and or at 1.2 metres and 1.2 metres per paired lots;
	c) 1.2 metres where the side yard abuts a public walkway or a non-residential zone; and
	d) 0.6 metres for a corner lot abutting another interior lot with a side yard of 0.6 metres or 1.2 metres, for a minimum total of 1.2 metres between buildings;
1 1 1	ior side yard or interior side yard shall regardless of permitted encroachments.
(8) Maximum Building Height	13.5 metres;
(9) The following provisions shall apply to garages:	a) No garage may project more than     1.5 metres beyond the porch or     front wall of a dwelling;
	b) the maximum cumulative garage door width for lots, with a lot width equal to or greater than 11.6 metres but less than 12.5 metres shall be 5.0 metres;
	c) the maximum cumulative garage door width for lots, with a lot width equal to or greater than 12.5 metres but less than 15.0 metres shall be 5.5 metres;
	d) the garage door width restriction does not apply to a garage door facing the exterior lot line;
	e) minimum interior garage dimension of single vehicle garage shall measure 6.0 metre interior length

		by 3.1 metre minimum interior width.
	f)	No encroachment shall be permitted into a required parking space within a garage, except for one step (2 risers) into the minimum garage length;
(10) The Following shall apply to a bay, bow or box window:	a)	notwithstanding Section 6.13 Table 6.13.A the maximum width of a bay, bow or box window with or without foundation shall be 4.5 metres;
	b)	notwithstanding Section 6.13 Table 6.13.A the maximum depth of a bay, bow or box window with or without foundation shall be 1.0 metres;
	c)	a bay, bow or box window with a maximum depth of 0.6 metres does not need to contain side windows; and
	d)	a bay, bow or box window with a depth greater than 0.6 metres up to a maximum depth of 1.0 metres does need to contain side windows;

"3792 The lands designated R3C – 3792 on Schedule A to this bylaw:

3792.1 Shall only be used for the purposes permitted in an R3C zone and for the following additional uses:

a) a live work townhouse dwelling;

b) a street townhouse dwelling;

c) only in conjunction with a live-work townhouse dwelling:

i. an office;

ii. a retail establishment having no outdoor storage;

iii. a bank, trust company, or financial institution;

iv. an art gallery;

v. a personal service shop;

vi. a take-out restaurant;

vii. a dining room restaurant;

viii. a health or fitness centre;

ix. a custom workshop;

x. a visual and performing arts studio;

xi. veterinary clinic;

xii. a medical or dental practice or office;

xiii. a commercial school;

xiv. purposes accessory to the other permitted uses;

3792.2 Shall be subject to the following requirements and restrictions:

(1) Minimum Lot Area per dwelling unit	a) Interior Lot:	117.0 square metres	
--	------------------	---------------------	--

	b) Corner Lot: 143.0 square metres
(2) Minimum Lot Width	a) Interior Lot: 4.5 metres
	b) Corner Lot: 5.5 meters
(3) Minimum Yard Setback for Principal Building	a) The front wall of a dwelling unit: 3.0 metres to a lot line
	i. A balcony, porch or bay window with or without foundation may encroach a maximum of 1.0 metres into the required front yard;
	b) The rear wall of a dwelling unit: 6.0 metres to a lot line;
	i. A balcony, porch or bay window with or without foundation may encroach a maximum of 1.0 metres into the required rear yard;
	c) a porch and/or balcony with or without foundation or cold cellar including steps eaves and cornices may encroach into the front yard within 0.0 metres of a daylight rounding/triangles;
(4) Minimum Exterior Side Yard Width	a) 3.0 metres to a public road;
	b) 1.5 metres to a lot line not zoned in the same zoning category;
	c) 1.2 metres to a lot line zoned in the same zoning category
	d) 0.6 metres abutting a parking area and public walkway
(5) Minimum Interior Side Yard Width	a) 1.2 metres when abutting side lot line coincides with two exterior walls;
	b) 0.0 metres when abutting side lot line coincides with a common wall between two dwellings;
	c) 0.5 metres into the 1.2 metres interior side yard for a bay window, or box window with or with foundation or cold cellar; and
,	d) 0.7 metres to a bay, bow or box window with or without foundations or cold cellar;
(6) Maximum Building Height	14 metres
(7) The following provisions shall apply to garages:	a) the maximum cumulative garage door width for shall be 5.6 metres;
	b) minimum interior garage dimension of single vehicle garage shall measure 6.0 metre interior length by 3.1 metre minimum interior width;
	c) 6.0 metres between a garage door and a public or private road;
	d) the garage door width shall not exceed the width of any unit of a dwelling

- (8) Minimum Landscape Open Space: No Requirement a) 3.5 square metres shall be provided (9) Minimum Amenity Area either on a balcony/uncovered terrace on the second or third floor, or at ground level. Air conditioning units are permitted to be located on a balcony or (10)uncovered terrace. (11) Notwithstanding Section 10.13.2, front to rear yard pedestrian access through the dwelling unit is not required. (12) Notwithstanding Section 10.9.1.B(1)(a), the minimum driveway width shall be 2.75 metres and shall not exceed the width of the lot. (13) Minimum Parking Requirement: a) 2 spaces per townhouse dwelling b) no additional spaces are required for visitor parking for commercial uses (14) Maximum fence height within the front yard and in the rear yard – 1.2 metres. (15) Minimum Condominium Laneway Aisle Width: 6.0 metres, including an aisle providing access to a parking space. (16) No accessory structure shall be erected in the front and/or rear yards.
- "3791 The lands designated I1 Section 3791 on Schedule A to this by-law:
  - 3791.1 Shall only be used for the purposes permitted by either 3791.1(1) or 3791.1(2) but not both:
    - (1) Either:
      - a) A public school;
      - b) A day nursery;
      - c) A park, playground or recreation facility operated by a public authority.
    - (2) Or:
      - a) Those purposes permitted by theR1F- 11.0 3790 zone.
- 3750.2 (1) The uses permitted in Section 3791.1(1) shall be subject to the requirements and restrictions of the I1 zone.
  - (2) The uses permitted in Section 3791.1(2) shall be subject to the requirements and restrictions of the R1F 11.0 3790."

ENACTED and PASSED this 26th day of June, 2024.

Approved as to form.

2024/06/25

MR

Patrick Brown, Mayor


Genevieve Scharback, City Clerk

Approved as to content.

2024/June/24

AAP


(File No: OZS-2022-0025)





Drawn by: LCarter BY-LAW 103-2024

SCHEDULE A







**KEY MAP** 

103-2024